

----- POPULATION ESTIMATES -----				----- Long-Term Care -----		----- Local Health Departments -----		
Total 2000 Population 2,006,930				Community Options and MA Waiver Programs				
Population per square mile .								
County ranking in state ( 1-72) .								
Age	Female	Male	Total	Clients	Costs	Staffing - FTE	Number	Per 10,000 Population
0-14	214,860	224,270	439,130	COP	854 \$3,001,234	Total staff	599	3.9
15-19	71,480	75,500	146,990	MA Waiver *		Administrative	61	0.4
20-24	64,170	64,310	128,490	CIP1A	134 \$6,667,079	Professional staff	337	2.2
25-29	65,510	64,770	130,270	CIP1B	826 \$16,663,477	Technical/Paraprof.	66	0.5
30-34	72,340	71,280	143,610	CIP2	365 \$4,305,177	Support staff	135	0.9
35-39	83,440	80,730	164,170	COP-W	1,187 \$11,112,350	Funding		Per capita
40-44	83,570	82,270	165,850	CSLA	34 \$145,674	Total	\$40,993,168	\$26.52
45-54	138,030	135,160	273,190	Brain Injury	29 \$1,232,672	Local Taxes	\$22,500,601	\$15.58
55-64	85,670	79,290	164,950	Total COP/Wvrs	2,738 \$43,127,663	----- Licensed Establishments -----		
65-74	70,400	57,150	127,530	\$12,412,744 of the above waiver costs were paid as local match/overmatch using COP funds. This amount is not included in above COP costs.		Type	Capacity	Facilities
75-84	55,320	34,810	90,090	* Waiver costs reported here include federal funding.		Bed & Breakfast	280	82
85+	24,010	8,790	32,790			Camps	6,372	68
Total	1,028,730	978,200	2,006,930			Hotels, Motels	22,482	349
Age	Female	Male	Total	Eligible and	Clients costs	Tourist Rooming	125	45
0-17	258,500	270,270	528,780	Waiting	5,457 n/a	Pools		805
18-44	396,870	392,860	789,730			Restaurants		7,179
45-64	223,700	214,450	438,140			Vending		205
65+	149,730	100,750	250,410			----- WIC Participants -----		
Total	1,028,730	978,200	2,006,930					
Poverty Estimates for 1997				(Family Care data not available)				
Estimate (C.I.+/-)				Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available.				
All ages	206,088					Pregnant/Postpartum		Number 23,565
not						Infants		26,242
Ages 0-17	89,947					Children, age 1-4		34,712
available						Total		84,519
----- Employment -----						----- Cancer Incidence -----		
Average wage for jobs covered				Home Health Agencies 37				
by unemployment compensation N/A				Patients 33,372				
Note: based on place of work				Patients per 10,000 pop. 166				
Annual				Nursing Homes 121		1999		
Labor Force Estimates Average				Licensed beds 16,174		Primary Site Number		
Civilian Labor Force 1,070,284				Occupancy rate 82.8%		Breast 1,797		
Number employed 1,029,910				Residents on Dec.31 13,321		Cervical 204		
Number unemployed 40,374				Residents age 65 or older		Colorectal 1,181		
Unemployment rate 3.8%				per 1,000 population 46		Trachea, Bronchus, Lung 1,263		
						Prostate 1,442		
						Other sites 3,820		
						Total 9,707		

## NATALITY

TOTAL LIVE BIRTHS		28,396	Birth Order		Births	Percent	Marital Status of Mother				
Crude Live Birth Rate		14.1	First		10,907	38	Married		18,019	63	
General Fertility Rate		64.5	Second		9,335	33	Not married		10,377	37	
Live births with reported congenital anomalies		276	1.0%	Third		4,726	17	Unknown		0	0
				Fourth or higher		3,426	12				
				Unknown		2	<.5				
Delivery Type		Births	Percent	First Prenatal Visit		Births	Percent	Education of Mother			
Vaginal after previous cesarean		635	2	1st trimester		23,738	84	Elementary or less		953	3
Forceps		723	3	2nd trimester		3,514	12	Some high school		4,689	17
Other vaginal		22,251	78	3rd trimester		784	3	High school		8,371	29
Primary cesarean		3,093	11	No visits		293	1	Some college		6,154	22
Repeat cesarean		1,694	6	Unknown		67	<.5	College graduate		8,173	29
Other or unknown		0	0					Unknown		56	<.5
Birthweight		Births	Percent	Number of Prenatal Care visits		Births	Percent	Smoking Status of Mother			
<1,500 gm		450	1.6	No visits		293	1	Smoker		4,114	14
1,500-2,499 gm		1,703	6.0	1-4		946	3	Nonsmoker		24,272	85
2,500+ gm		26,240	92.4	5-9		4,419	16	Unknown		10	<.5
Unknown		3	<.5	10-12		11,213	39				
				13+		11,420	40				
				Unknown		105	<.5				

<b>Race of Mother</b>	<b>Births</b>	<b>Percent</b>	<b>Low Birthweight (under 2,500 gm)</b>		<b>Trimester of First Prenatal Visit</b>			
			<b>Births</b>	<b>Percent</b>	<b>1st Trimester</b>	<b>2nd Trimester</b>	<b>Other/Unknown</b>	
White	21,538	76	1,295	6.0	18,905	88	2,029	9
Black	5,832	21	787	13.5	4,049	69	1,297	22
Other	1,018	4	69	6.8	777	76	188	18
Unknown	8	<.5	2	25.0	7	88	.	.

<b>Age of Mother</b>	<b>Fertility</b>		<b>Low Birthweight (under 2,500 gm)</b>		<b>Trimester of First Prenatal Visit</b>			
	<b>Births</b>	<b>Rate</b>	<b>Births</b>	<b>Percent</b>	<b>1st Trimester</b>	<b>2nd Trimester</b>	<b>Other/Unknown</b>	
<15	71	--	11	15.5	31	44	29	41
15-17	1,168	27	141	12.1	697	60	341	29
18-19	2,165	78	218	10.1	1,483	68	514	24
20-24	6,451	101	515	8.0	4,924	76	1,165	18
25-29	7,435	114	468	6.3	6,496	87	727	10
30-34	7,061	98	433	6.1	6,475	92	418	6
35-39	3,375	40	288	8.5	3,042	90	261	8
40+	668	8	79	11.8	589	88	58	9
Unknown	2	--	*	.	*	.	*	.

**Teenage Births** 3,404 48 \* Not reported: age or race category has less than 5 births

## ----- MORBIDITY -----

## REPORTED\* CASES OF SELECTED DISEASES

<u>Disease</u>	<u>Number</u>
Campylobacter Enteritis	284
Giardiasis	188
Hepatitis Type A	68
Hepatitis Type B**	191
Hepatitis NANB/C	550
Legionnaire's	19
Lyme	16
Measles	***
Meningitis, Aseptic	57
Meningitis, Bacterial	29
Mumps	***
Pertussis	***
Salmonellosis	280
Shigellosis	167
Tuberculosis	51

\* 2000 provisional data

\*\* Includes all positive HBsAg test results

\*\*\* Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	10,756
Genital Herpes	1,271
Gonorrhea	5,769
Syphilis	164

## ----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

Compliant	354,857
Non-compliant	25,113
Percent Compliant	93.4

## ----- MORTALITY -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

<b>TOTAL DEATHS</b>	17,508
Crude Death Rate	872

<u>Age</u>	<u>Deaths</u>	<u>Rate</u>
1-4	33	24
5-14	56	19
15-19	95	65
20-34	366	91
35-54	1,727	286
55-64	1,529	927
65-74	3,151	2,471
75-84	5,047	5,602
85+	5,286	16,124

Infant

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Infant	218	7.7
Neonatal	140	4.9
Postneonatal	78	2.7
Unknown	.	.

Race of Mother

White	115	5.3
Black	99	17.0
Other	4	.
Unknown	.	.

Birthweight

<1,500 gm	119	264.4
1,500-2,499 gm	22	12.9
2,500+ gm	75	2.9
Unknown	2	.

Perinatal

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Perinatal	325	11.4
Neonatal	140	4.9
Fetal	185	6.5

<u>Selected Underlying Cause</u>	<u>Deaths</u>	<u>Rate</u>
Heart Disease (total)	5,123	255
Ischemic heart disease	3,563	178
Cancer (total)	3,916	195
Trachea/Bronchus/Lung	1,030	51
Colorectal	412	21
Female Breast	324	31*
Cerebrovascular Disease	1,306	65
Lower Resp. Disease	881	44
Pneumonia & Influenza	459	23
Accidents	745	37
Motor vehicle	246	12
Diabetes	495	25
Infectious & Parasitic	301	15
Suicide	225	11

\* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	308	15
Other Drugs	315	16
Both Mentioned	67	3

## ----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

<u>Type of Motor Vehicle Crash</u>	<u>Persons Injured</u>	<u>Persons Killed</u>
Total Crashes	25,899	189
Alcohol-Related	1,948	86
With Citation:		
For OWI	1,389	9
For Speeding	2,352	3
Motorcyclist	693	21
Bicyclist	493	3
Pedestrian	960	18

## HOSPITALIZATIONS

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Injury-Related: All</b>					
Total	17,696	8.8	5.0	\$15,787	\$139
<18	1,857	3.5	3.4	\$10,927	\$38
18-44	4,774	6.0	4.0	\$14,708	\$89
45-64	3,863	8.8	5.1	\$17,074	\$151
65+	7,202	28.8	6.1	\$17,065	\$491
<b>Injury: Hip Fracture</b>					
Total	2,124	1.1	6.5	\$19,560	\$21
65+	1,914	7.6	6.6	\$19,563	\$150
<b>Injury: Poisonings</b>					
Total	1,673	0.8	2.3	\$6,439	\$5
18-44	898	1.1	1.9	\$5,894	\$7
<b>Psychiatric</b>					
Total	14,477	7.2	9.7	\$8,400	\$61
<18	2,856	5.4	8.9	\$8,040	\$43
18-44	7,018	8.9	9.2	\$7,278	\$65
45-64	2,590	5.9	11.0	\$9,130	\$54
65+	2,013	8.0	10.8	\$11,881	\$96
<b>Coronary Heart Disease</b>					
Total	13,172	6.6	4.3	\$26,034	\$171
45-64	4,670	10.7	3.6	\$26,159	\$279
65+	7,938	31.7	4.8	\$26,171	\$830
<b>Malignant Neoplasms (Cancers): All</b>					
Total	9,293	4.6	6.8	\$20,832	\$96
18-44	874	1.1	6.1	\$22,679	\$25
45-64	3,204	7.3	6.1	\$20,196	\$148
65+	5,092	20.3	7.3	\$20,445	\$416
<b>Neoplasms: Female Breast (rates for female population)</b>					
Total	934	0.9	2.4	\$12,003	\$11
<b>Neoplasms: Colo-rectal</b>					
Total	1,165	0.6	9.1	\$24,321	\$14
65+	852	3.4	9.6	\$25,650	\$87
<b>Neoplasms: Lung</b>					
Total	970	0.5	7.4	\$22,445	\$11
<b>Diabetes</b>					
Total	2,834	1.4	5.2	\$12,065	\$17
65+	902	3.6	6.7	\$14,490	\$52

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Alcohol-Related</b>					
Total	4,025	2.0	4.1	\$6,130	\$12
18-44	2,172	2.8	3.5	\$4,813	\$13
45-64	1,469	3.4	4.5	\$7,160	\$24
<b>Pneumonia and Influenza</b>					
Total	7,249	3.6	5.8	\$12,234	\$44
<18	697	1.3	3.4	\$6,826	\$9
45-64	1,366	3.1	5.5	\$13,025	\$41
65+	4,458	17.8	6.4	\$13,211	\$235
<b>Cerebrovascular Disease</b>					
Total	6,359	3.2	5.5	\$15,177	\$48
45-64	1,282	2.9	5.8	\$18,081	\$53
65+	4,777	19.1	5.3	\$13,801	\$263
<b>Chronic Obstructive Pulmonary Disease</b>					
Total	6,191	3.1	3.9	\$8,025	\$25
<18	1,267	2.4	2.0	\$3,614	\$9
18-44	969	1.2	2.9	\$6,266	\$8
45-64	1,287	2.9	4.1	\$8,779	\$26
65+	2,668	10.7	5.2	\$10,394	\$111
<b>Drug-Related</b>					
Total	1,772	0.9	5.1	\$5,128	\$5
18-44	1,258	1.6	4.2	\$4,253	\$7
<b>Total Hospitalizations</b>					
Total	251,331	125.2	4.6	\$11,514	\$1,442
<18	45,586	86.2	3.4	\$5,385	\$464
18-44	69,293	87.8	3.6	\$8,421	\$739
45-64	48,815	111.4	4.9	\$14,725	\$1,641
65+	87,637	350.0	6.0	\$15,360	\$5,376

## PREVENTABLE HOSPITALIZATIONS\*

Total	32,553	16.2	4.7	\$10,256	\$166
<18	3,758	7.1	2.5	\$5,382	\$38
18-44	4,851	6.1	3.4	\$8,188	\$50
45-64	6,569	15.0	4.7	\$11,248	\$169
65+	17,375	69.4	5.6	\$11,513	\$799

\* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2000 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.